








Monopolare Elektroden mit 2,4 mm Schaft
Monopolar electrodes with 2.4 mm shaft
 Electrodes monopolaires avec tige 2,4 mm
Electrodos monopolares con vástago 2,4 mm
 Elettrodi monopolari con asta 2,4 mm











5

89503007	Spatelektrode Spatula electrode Electrode à spatule Electrodo de espátula Elettrodo a spatola		2,5 x 20 mm
89503009	Schneideelektrode Blade electrode Electrode coupante Electrodo de corte Elettrodo da taglio		2,5 x 20 mm
89503020	Kugelelektrode Ball electrode Electrode à boule Electrodo de bola Elettrodo a sfera		Ø 2 mm
89503021	Kugelelektrode Ball electrode Electrode à boule Electrodo de bola Elettrodo a sfera		Ø 4 mm
89503022	Kugelelektrode Ball electrode Electrode à boule Electrodo de bola Elettrodo a sfera		Ø 6 mm
89503130	Kugelelektrode abgewinkelt Ball electrode, angled Electrode à boule, coudée Electrodo de bola acodado Elettrodo a sfera, ad angolo		Ø 2 mm
89503131	Kugelelektrode abgewinkelt Ball electrode, angled Electrode à boule, coudée Electrodo de bola acodado Elettrodo a sfera, ad angolo		Ø 4 mm

Monopolare Elektroden mit 2,4 mm Schaft
Monopolar electrodes with 2.4 mm shaft
 Electrodes monopolaires avec tige 2,4 mm
Electrodos monopolares con vástago 2,4 mm
 Elettrodi monopolari con asta 2,4 mm



1

89500039	Monopolare hochtemperaturfeste Wolfram-Nadelelektrode zum Schneiden Monopolar high temperature tungsten needle electrode for cutting Electrode aiguille monopolaire en tungstène, à haute résistance thermique, destinées à la coupe Electrodo de aguja de tungsteno monopolar, resistentes a altas temperaturas para cortar Elettrodo ad ago di tungsteno, monopolare, ad alta resistenza termica, concepiti per tagliare		Ø 0,4 mm 5 mm
89503005	Nadelelektrode Needle electrode Electrode aiguille Electrodo de aguja Elettrodo ad ago		Ø 0,5 mm
89503006	Nadelelektrode Needle electrode Electrode aiguille Electrodo de aguja Elettrodo ad ago		Ø 0,7 mm
89503014	Drahtschlingenelektrode Wire loop electrode Electrode à boucle en fil métallique Electrodo de lazo de alambre Elettrodo ad ansa		Ø 5 mm
89503015	Drahtschlingenelektrode Wire loop electrode Electrode à boucle en fil métallique Electrodo de lazo de alambre Elettrodo ad ansa		Ø 10mm
89503018	Drahtschlingenelektrode Wire loop electrode Electrode à boucle en fil métallique Electrodo de lazo de alambre Elettrodo ad ansa		Ø 14 mm
89503016	Bandschlingenelektrode Ribbon loop electrode Electrode à boucle de bande Electrodo de lazo de cinta Elettrodo ad ansa a nastro		Ø 10mm
89503017	Bandschlingenelektrode Ribbon loop electrode Electrode à boucle de bande Electrodo de lazo de cinta Elettrodo ad ansa a nastro		Ø 14 mm

Monopolare Elektroden mit 2,4 mm Schaft
Monopolar electrodes with 2.4 mm shaft
 Electrodes monopolaires avec tige 2,4 mm
Electrodos monopolares con vástago 2,4 mm
 Elettrodi monopolari con asta 2,4 mm



89503149	<p>Spatелеlektrode Spatula electrode Electrode à spatule Electrodo de espátula Elettrodo a spatola</p>	2,5 x 20 mm
89503147	<p>Schneidelektrode Blade electrode Electrode coupante Electrodo de corte Elettrodo da taglio</p>	2,5 x 20 mm
89503143	<p>Nadelektrode Needle electrode Electrode aiguille Electrodo de aguja Elettrodo ad ago</p>	Ø 0,5/20 mm
89503146	<p>Nadelektrode Needle electrode Electrode aiguille Electrodo de aguja Elettrodo ad ago</p>	Ø 0,7/20 mm
89503140	<p>Kugelelektrode Ball electrode Electrode à boule Electrodo de bola Elettrodo a sfera</p>	Ø 2 mm
89503141	<p>Kugelelektrode Ball electrode Electrode à boule Electrodo de bola Elettrodo a sfera</p>	Ø 4 mm

Monopolare Elektroden mit 2,4 mm Schaft
Monopolar electrodes with 2.4 mm shaft
 Electrodes monopolaires avec tige 2,4 mm
Electrodos monopolares con vástago 2,4 mm
 Elettrodi monopolari con asta 2,4 mm



Elektroden zur Konisation an der Portio Uteri und im Zervixkanal
 (Large Loop Excision of the Transformation Zone – LLETZ-Methode)

Electrodes for conisation of the cervix uteri and the cervical canal
 (large loop excision of the transformation zone – LLETZ method)

Electrodes pour conisation de la portion vaginale du col de l'utérus et du canal du col de l'utérus (méthode LLETZ - large loop excision of the transformation zone)

Electrodos para la conización en la zona del útero y en el canal cervical
 (Large Loop Excision of the Transformation Zone – método LLETZ)

Elettrodi per conisazione alla portio uterina ed al canale cervicale
 (metodo LLETZ - large loop excision of the transformation zone)

89503181	<p>Schlingenelektrode Ø 10 Loop electrode Ø 10 Electrode à boucle, Ø 10 Electrodo de lazo Ø 10 Elettrodo ad ansa, Ø 10</p>	10 mm
89503182	<p>Schlingenelektrode Ø 15 Loop electrode Ø 15 Electrode à boucle, Ø 15 Electrodo de lazo Ø 15 Elettrodo ad ansa, Ø 15</p>	15 mm
89503183	<p>Schlingenelektrode Ø 20 Loop electrode Ø 20 Electrode à boucle, Ø 20 Electrodo de lazo Ø 20 Elettrodo ad ansa, Ø 20</p>	20 mm
89503184	<p>Schlingenelektrode Ø 25 Loop electrode Ø 25 Electrode à boucle, Ø 25 Electrodo de lazo Ø 25 Elettrodo ad ansa, Ø 25</p>	25 mm

Monop. Elektroden f. d. Arthroskopie, vollisoliert, mit 2,4 mm Schaft
Monop. arthroscopic electrodes, fully insulated, with 2,4 mm shaft
 Electrodes monopolaires pour l'arthroscopie, entièrement isolées, avec tige 2,4 mm
Electrodos monop. p. artroscopia, aislamiento completo, con vástago 2,4 mm
Elettrodi monopolari per l'artroscopia, completamente isolati, con asta 2,4 mm



Schneideelektroden für Meniskus-Resektion
Cutting electrodes for meniscus resection
 Electrodes coupantes pour résection du ménisque
Electrodos de corte para resección de menisco
Elettrodi da taglio per resezione del menisco



89503170

Nadelelektrode 90° abgewinkelt
Needle electrode, 90° angled
 Electrode aiguille, coudée 90°
Electrodo de aguja acodado 90°
Elettrodo ad ago, ad angolo di 90°

Ø 0,6 mm



89503171

Nadelelektrode 90° abgewinkelt
Needle electrode, 90° angled
 Electrode aiguille, coudée 90°
Electrodo de aguja acodado 90°
Elettrodo ad ago, ad angolo di 90°

Ø 0,6 mm



89503172

Messerelektrode 45° abgewinkelt
Knife electrode, 45° angled
 Electrode coupante, coudée 45°
Electrodo de cuchillo acodado 45°
Elettrodo a lama, ad angolo di 45°

Ø 0,4 mm



Elektrodenverlängerungen
Electrode extensions
 Pièces de rallonge pour électrodes
Prolongaciones para electrodos
Prolunghe per elettrodi



4 mm

89505080

Elektrodenverlängerung für 4 mm-Schaft, 100 mm
Extension for electrodes with 4 mm shaft, 100 mm
 Pièce de rallonge pour tige 4 mm, 100 mm
Prolongación para electrodos con vástago de 4 mm, 100 mm
Prolunga per asta 4 mm, 100 mm



89505085

Elektrodenverlängerung für 4 mm-Schaft, 150 mm
Extension for electrodes with 4 mm shaft, 150 mm
 Pièce de rallonge pour tige 4 mm, 150 mm
Prolongación para electrodos con vástago de 4 mm, 150 mm
Prolunga per asta 4 mm, 150 mm



2,4 mm

89505090

Elektrodenverlängerung für 2,4 mm-Schaft, 90 mm
Extension for electrodes with 2.4 mm shaft, 90 mm
 Pièce de rallonge pour tige 2,4 mm, 90 mm
Prolongación para electrodos con vástago de 2,4 mm, 90 mm
Prolunga per asta 2,4 mm, 90 mm




89505095


Elektrodenverlängerung für 2,4 mm-Schaft, 140 mm
Extension for electrodes with 2.4 mm shaft, 140 mm
 Pièce de rallonge pour tige 2,4 mm, 140 mm
Prolongación para electrodos con vástago de 2,4 mm, 140 mm
Prolunga per asta 2,4 mm, 140 mm




Mikro Dissektions-Nadelelektroden mit 2,4 mm Schaft
Micro dissection needle electrodes with 2.4 mm shaft
 Electrodes aiguilles pour microdissection avec tige 2,4 mm
Electrodos de aguja para microdissección con vástago de 2,4 mm
 Elettrodi ad ago per microdissezione con asta 2,4 mm




Monopolare hochtemperaturfeste Wolfram-Nadelelektroden zum Schneiden
Monopolar high temperature tungsten needle electrodes for cutting
 Electrodes aiguilles monopolaires en tungstène, à haute résistance thermique, destinées à la coupe
Electrodos de aguja de tungsteno monopolares, resistentes a altas temperaturas para cortar
 Elettrodi ad ago di tungsteno, monopolari, ad alta resistenza termica, concepiti per tagliare



Mikro Dissektions-Nadelelektroden mit 2,4 mm Schaft
Micro dissection needle electrodes with 2.4 mm shaft
 Electrodes aiguilles pour microdissection avec tige 2,4 mm
Electrodos de aguja para microdissección con vástago de 2,4 mm
 Elettrodi ad ago per microdissezione con asta 2,4 mm



Monopolare hochtemperaturfeste Wolfram-Nadelelektroden für die Chordektomie
Monopolar high temperature tungsten needle electrodes for Chordektomie
 Electrodes aiguilles monopolaires en tungstène, à haute résistance thermique, pour cordectomie
Electrodos de aguja de tungsteno monopolares, resistentes a altas temperaturas, para cordectomía
 Elettrodi ad ago di tungsteno, monopolari, ad alta resistenza termica, per cordectomy



Mikro Dissektions-Nadelelektroden mit 2,4 mm Schaft
Micro dissection needle electrodes with 2.4 mm shaft
 Electrodes aiguilles pour microdissection avec tige 2,4 mm
Electrodos de aguja para microdissección con vástago de 2,4 mm
 Elettrodi ad ago per microdissezione con asta 2,4 mm




Monopolare CERANEEDLE, hochtemperaturfeste Wolfram-Nadelelektroden mit Keramikisolation zum Schneiden und Koagulieren
Monopolar CERANEEDLE high temperature tungsten needle electrodes with ceramic insulation for cutting and coagulation
 Electrodes aiguilles monopolaires CERANEEDLE en tungstène à haute résistance thermique, avec isolation céramique pour couper et coaguler
Electrodos de aguja de tungsteno monopolares CERANEEDLE de alta resistencia Temperaturas con aislante cerámico para corte y coagulación
 CERANEEDLE Elettrodi ad ago di tungsteno, monopolari, ad alta resistenza termica, con isolante ceramico, concepiti per tagliare e coagulare



89505200



89505202




89505203




89505204



89505210




89505212



89505213



89505214



STERILE EO

Monopolare, hochtemperaturfeste Wolfram-Nadelelektroden zum Schneiden, steril verpackt
Monopolar high temperature tungsten needle electrodes with ceramic insulation for cutting, sterile packaging
 Électrodes monopolaires à aiguilles résistantes aux hautes températures Wolfram, pour recouvre, conditionnement stérile
Electrodos de aguja de wolframio monopolares resistentes a altas temperaturas para cortar, empaquetados estériles.
 Elettrodi ad ago in tungsteno resistenti alle alte temperature per recisione con imballaggio sterile.


93105100





93105110



93105102



93105112



Mikro Dissektions-Nadelelektroden mit 2,4 mm Schaft
Micro dissection needle electrodes with 2.4 mm shaft
 Electrodes aiguilles pour microdissection avec tige 2,4 mm
Electrodos de aguja para microdissección con vástago de 2,4 mm
 Elettrodi ad ago per microdissezione con asta 2,4 mm

